
Printing date 23.12.2022

Version n° 25

Revision: 23.12.2022



Printing date 23.12.2022

Version n° 25

Revision: 23.12.2022

(Contd. of page 1)

Trade name: TEREBOR

• Additional information:

EUH066 Repeated exposure may cause skin dryness or cracking.

· Classification system

· NFPA ratings (scale 0-4)



Fire = 2Reactivity = 0

· 2.3 Other hazards

· Results of PBT and vPvB assessment

· PBT:

85535-85-9 alkanes, C14-17, chloro

· vPvB:

85535-85-9 alkanes, C14-17, chloro

SECTION 3: Composition/information on ingredients

· 3.2 Mixtures

• **Description:** Mixture of substances listed below with nonhazardous additions.

| • Dangerous components: | | |
|--------------------------------|--|--------|
| CAS: 85535-85-9 | alkanes, C14-17, chloro | 25-50% |
| EINECS: 287-477-0 | Aquatic Acute 1, H400 (M=100); Aquatic Chronic 1, H410 | |
| Reg.nr.: 01-2119519269-33-xxxx | | |
| | PBT; vPvB | |
| EC number: 920-901-0 | <i>Hydrocarbons, C11-C13, isoalkanes, <2% aromatics</i> | 10-25% |
| Reg.nr.: 01-2119456810-40-xxxx | Alternative CAS numbers: 64742-48-9, 90622-58-5 | |
| | 🚸 Asp. Tox. 1, H304, EUH066 | |
| | | |

· Additional information

The benzene content of petroleum solvents is less than 0.1%.

For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

• 4.1 Description of first aid measures

· After inhalation

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist.

• After skin contact

Immediately wash with water and soap and rinse thoroughly.

Immediately remove all soiled and contaminated clothing

· After eye contact

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- *After swallowing* Do not induce vomiting; call for medical help immediately.
- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- 4.3 Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

SECTION 5: Firefighting measures

5.1 Extinguishing media

- Suitable extinguishing agents CO2, powder or water spray. Fight larger fires with water spray.
- For safety reasons unsuitable extinguishing agents Water with full jet.
- · 5.2 Special hazards arising from the substance or mixture
- In case of fire, the following can be released: Carbon monoxide (CO)

(Contd. on page 3)

GB

Printing date 23.12.2022

Version n° 25

Revision: 23.12.2022

Trade name: TEREBOR

Hydrogen chloride (HCl)

Carbon dioxide (CO2)

• 5.3 Advice for firefighters

• *Protective equipment:* Wear self-contained respiratory protective device.

• Additional information

Cool endangered receptacles with water spray.

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

SECTION 6: Accidental release measures

- · 6.1 Personal precautions, protective equipment and emergency procedures
- · For non-emergency personnel
- Ensure adequate ventilation

Keep away from heat, hot surfaces, sparks, open flames and other sources of ignition. Do not smoke. Seal the leak if it can be done safely.

- · For emergency responders Wear safety equipment. Remove unprotected persons.
- 6.2 Environmental precautions: Inform respective authorities in case of seepage into water course or sewage system. Do not allow to enter sewers/ surface or ground water.
- 6.3 Methods and material for containment and cleaning up: Absorb liquid components with liquid-binding material.
 6.4 Reference to other sections
- *See Section 8 for information on personal protection equipment. See Section 13 for disposal information.*

SECTION 7: Handling and storage

· 7.1 Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace. Open and handle receptacle with care.

• Information about fire - and explosion protection: Protect from heat.

· Handling

The usual precautionary measures are to be adhered to when handling chemicals. Wash hands before breaks and at the end of work. Do not eat, drink, smoke or sniff while working.

· 7.2 Conditions for safe storage, including any incompatibilities

- Requirements to be met by storerooms and receptacles: Keep only in the original container
- Further information about storage conditions: Store in cool, dry conditions in well sealed receptacles.
- · Recommended storage temperature: $0 \sim 25^{\circ}C$
- 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

- · 8.1 Control parameters
- · Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

| | · DNELs | | | |
|---|------------|---------|---|----|
| Γ | 85535-85- | 9 alkan | es, C14-17, chloro | 1 |
| | Dermal | DNEL | 11.5 mg/Kg (Workers -Local effect - Long term) Travailleurs - Effet systémique - Long terme | |
| | Inhalative | DNEL | 1.6 mg/m3 (Workers - Systemic effect - Long term) Travailleurs - Effet systémique - Long terme | |
| _ | | | (Contd. on page 4 | .) |

(Contd. of page 2)

Printing date 23.12.2022

Version n° 25

Revision: 23.12.2022

Trade name: TEREBOR

| | (Contd. of page 3) |
|--|--|
| · PNECs | |
| 85535-85-9 alkanes, C14-17, c | hloro |
| PNEC (freshwater) | 0.001 mg/L |
| PNEC (Marine) | 0.0002 mg/L |
| PNEC (sediment freshwater) | 5 mg/Kg |
| PNEC (sediment marine) | 1 mg/Kg |
| PNEC (soil) | 10.5 mg/Kg |
| PNEC (Water-treatment plant) | 80 mg/L |
| • Additional information: The li | sts valid during the making were used as basis. |
| Individual protection measures: General protective and hygient The usual precautionary measures. Respiratory protection: Use suitable respiratory protection: Use suitable respiratory protection: Short term filter device: Filter A/P2. Hand protection Protective gloves. Selection of the glove material degradation Material of gloves The selection of the suitable gla and varies from manufacturer resistance of the glove material application. For the permanent contact glo Eye/face protection: Protective wood | res are to be adhered to when handling chemicals. tive device in case of insufficient ventilation. ial on consideration of the penetration times, rates of diffusion and the oves does not only depend on the material, but also on further marks of quality to manufacturer. As the product is a preparation of several substances, the l can not be calculated in advance and has therefore to be checked prior to the ves made of the following materials are suitable: Nitrile rubber, NBR commended during refilling. |

SECTION 9: Physical and chemical properties

| 9.1 Information on basic physical and | chemical properties | |
|---|------------------------------------|--|
| General Information | | |
| Physical state | Liquid | |
| Colour: | Blue | |
| Odour: | characteristic | |
| Melting point/freezing point: | undetermined | |
| Boiling point or initial boiling point an | d boiling | |
| range | undetermined | |
| Flammability | Product is not flammable. | |
| Lower and upper explosion limit | | |
| Lower: | not applicable | |
| Upper: | Not determined. | |
| Flash point: | 62 °C (ISO 2719) | |
| Auto-ignition temperature: | Product is not selfigniting. | |
| Decomposition temperature: | Not determined. | |
| pH | Mixture is non-soluble (in water). | |
| Viscosity: | | |
| Kinematic viscosity at 40 °C | $22 \text{ mm}^2/\text{s}$ | |
| dynamic: | Not determined. | |

 $(Contd. \ on \ page \ 5)$

- GB

Printing date 23.12.2022

Version n° 25

Revision: 23.12.2022

(Contd. of page 4)

Trade name: TEREBOR

| | (Conta. of page 4) |
|--|---|
| Solubility | |
| · Water: | Not miscible or difficult to mix |
| · Partition coefficient n-octanol/water (l | log value) Not determined. |
| · Vapour pressure: | Not determined. |
| · Density at 20 °C: | 1.03 g/cm ³ (NFT 30-020) |
| · Vapour density | Not determined. |
| · Particle characteristics | Not applicable. |
| • 9.2 Other information | |
| • Explosive properties: | Product is not explosive. However, formation of explosive |
| | air/vapour mixtures are possible. |
| · Solvent content: | |
| · Volatile Organic Compound : | 20.00 % |

SECTION 10: Stability and reactivity

· 10.1 Reactivity No specific data available for this product

• 10.2 Chemical stability Stable under normal conditions of use

· 10.3 Possibility of hazardous reactions No dangerous reactions known

• 10.4 Conditions to avoid No further relevant information available.

• 10.5 Incompatible materials: No further relevant information available.

· 10.6 Hazardous decomposition products: No dangerous decomposition products known

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

• Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC50 values relevant for classification:

85535-85-9 alkanes, C14-17, chloro

 Oral
 LD50
 >4,000 mg/kg (Rat)

 Dermal
 LD50
 4,000 mg/kg (Rat)

 Inhalative
 LC50/4 h
 >48,170 mg/l (Rat)

Skin corrosion/irritation

Frequent or prolonged contact can degrease and dry out the skin, leading to discomfort or dermatitis.

• Serious eye damage/irritation Based on available data, the classification criteria are not met.

· Respiratory or skin sensitisation Based on available data, the classification criteria are not met.

- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.

· Reproductive toxicity May cause harm to breast-fed children.

• STOT-single exposure Based on available data, the classification criteria are not met.

• STOT-repeated exposure Based on available data, the classification criteria are not met.

· Aspiration hazard Based on available data, the classification criteria are not met.

• 11.2 Information on other hazards

· Endocrine disrupting properties

None of the ingredients is listed.

· Other information No further relevant information available.

SECTION 12: Ecological information

· 12.1 Toxicity

• Aquatic toxicity:

85535-85-9 alkanes, C14-17, chloro

LE50 (algues) 72h 0.006 mg/L (Daphnia magna)

(Contd. on page 6)

GB

Printing date 23.12.2022

Version n° 25

Revision: 23.12.2022

(Contd. of page 5)

Trade name: TEREBOR

Hydrocarbons, C11-C13, isoalkanes, <2% aromatics

LL50 (invertébrés) 48h 1,000 mg/L (Oncorhynchus mykiss) (Données relatives à des produits équivalents)

LE50 (algues) 72h 1,000 mg/L (Daphnia magna) (Données relatives à des produits équivalents)

· 12.2 Persistence and degradability Not easily biodegradable

• 12.3 Bioaccumulative potential No further relevant information available.

• 12.4 Mobility in soil No further relevant information available.

· 12.5 Results of PBT and vPvB assessment

85535-85-9 alkanes, C14-17, chloro

· 12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

· 12.7 Other adverse effects

· Ecotoxical effects: Very toxic for fish

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

· Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system. Must be specially treated adhering to official regulations.

SECTION 14: Transport information · 14.1 UN number or ID number · ADR, IMDG, IATA UN3082 • 14.2 UN proper shipping name 3082 ENVIRONMENTALLY HAZARDOUS · ADR SUBSTANCE, LIQUID, N.O.S. (alkanes, C14-17, chloro) ENVIRONMENTALLY HAZARDOUS SUBSTANCE, · IMDG LIQUID, N.O.S. (alkanes, C14-17, chloro), MARINE POLLUTANT ·IATA ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (alkanes, C14-17, chloro) · 14.3 Transport hazard class(es) · ADR 9 (M6) Miscellaneous dangerous substances and articles. · Class 9 · Label · IMDG. IATA · Class 9 Miscellaneous dangerous substances and articles. · Label 9 · 14.4 Packing group · ADR, IMDG, IATA III (Contd. on page 7) GB

Printing date 23.12.2022

Version n° 25

Revision: 23.12.2022

Trade name: TEREBOR

| | (Contd. of page |
|---|---|
| 14.5 Environmental hazards: | Product contains environmentally hazardous substances alkanes, C14-17, chloro |
| Marine pollutant: | Yes Symbol (fish and tree) |
| Special marking (ADR): | Symbol (fish and tree) |
| Special marking (IATA): | Symbol (fish and tree) |
| 14.6 Special precautions for user | Warning: Miscellaneous dangerous substances and articles. |
| Hazard identification number (Kemler code): | 90 |
| EMS Number: | F-A,S-F |
| Stowage Category | A |
| 14.7 Maritime transport in bulk according to IM | 10 |
| instruments | The product is not transported in bulk |
| ADR | |
| Limited quantities (LQ) | 5L |
| Excepted quantities (EQ) | Code: E1 |
| | Maximum net quantity per inner packaging: 30 ml |
| | Maximum net quantity per outer packaging: 1000 ml |
| Transport category | 3 |
| Tunnel restriction code | (-) |
| IMDG | |
| Limited quantities (LQ) | 5L |
| Excepted quantities (EQ) | Code: El |
| | Maximum net quantity per inner packaging: 30 ml |
| | Maximum net quantity per outer packaging: 1000 ml |
| UN "Model Regulation": | UN 3082 ENVIRONMENTALLY HAZARDOU SUBSTANCE, LIQUID, N.O.S. (ALKANES, C14-17 CHLORO), 9, III |

SECTION 15: <u>Regulatory information</u>

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

· Substances of very high concern (SVHC) according to REACH, Article 57

85535-85-9 alkanes, C14-17, chloro

· List of substances subject to authorisation (ANNEX XIV)

Do not contain any substance submitted to authorization according to annex XIV

· TSCA (Toxic Substances Control Act): (Substances not listed)

Domestic Substances List - Non Domestic Substances List: (Substances not listed)

All ingredients are listed.

· Korean Existing Chemical Inventory: (Substances not listed)

Hydrocarbons, C11-C13, isoalkanes, <2% aromatics

· AICS - Australian Inventory of Chemical Substances: (Substances not listed)

All ingredients are listed.

· Seveso category E1 Hazardous to the Aquatic Environment

 \cdot Qualifying quantity (tonnes) for the application of lower-tier requirements 100 t

 \cdot Qualifying quantity (tonnes) for the application of upper-tier requirements 200 t

· LIST OF SUBSTANCES SUBJECT TO AUTHORISATION (UK ANNEX XIV)

· Waterhazard class: Generally not hazardous for water.

(Contd. on page 8)

GB

Printing date 23.12.2022

Version n° 25

Revision: 23.12.2022

Trade name: TEREBOR

(Contd. of page 7)

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship. · Relevant phrases H304 May be fatal if swallowed and enters airways. H362 May cause harm to breast-fed children. H400 Very toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects. EUH066 Repeated exposure may cause skin dryness or cracking. · Abbreviations and acronyms: ADR: European Agreement Concerning the International Carriage of Dangerous Goods by Road IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) VOC: Volatile Organic Compounds (USA, EU) ISO: International Organisation for Standardisation DNEL: Derived No-Effect Level (UK REACH) PNEC: Predicted No-Effect Concentration (UK REACH) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic SVHC: Substances of Very High Concern vPvB: very Persistent and very Bioaccumulative TLV: Threshold Limit Value IBC : intermediate bulk container EuPCS : European product classification system GB CLP : Regulation (EC) No 1272/2008 on classification, labeling and packaging of substances and mixtures MARPOL : International Convention for the Prevention of pollution from Ships **OEL** : Occupational Exposure Limits Lact .: Reproductive toxicity - effects on or via lactation Asp. Tox. 1: Aspiration hazard – Category 1 Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1 Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard - Category 1